




लम्कीचुहा नगरपालिका नगर कार्यपालिकाको कार्यालय



प.सं. ०८१/०८२

च.नं.

फोन नं. ०९१-४१९०९५

फ्याक्स नं. ०९१-४१९०९४

ईमेल: lamkicm@gmail.com

वेबसाइट: lamkichuhmun.gov.np

मिति: २०८२/०२/१४

बिषय:- कयाटलग विधिबाट सवारी साधन खरिद गर्ने प्राबिधिक प्रस्ताव पेश गर्ने सम्बन्धि सूचना ।

यस कार्यालयको प्रयोजनको लागी २ (दुई) (थान टेक्टर ट्राली सहित खरिद कार्यका लागी फर्महरुलाई आर्थिक तथा प्राबिधिक प्रस्ताव पेश गर्नका लागी यस लम्कीचुहा नगरपालिकाको निर्णयानुसार सार्वजनिक खरिद ऐन, २०६३ को दफा ८ को उपदफा (१) खण्ड (क) को (८) र सार्वजनिक खरिद नियमावली, २०६४ को नियम ३१ (ख) मा भएको व्यवस्था वमोजिम सार्वजनिक खरिद ऐन, २०६३ को दफा ६५ को उपदफा (१) खरिद गर्ने कार्यविधि, २०७४ को नियम ९ (ख) वमोजिम १० (दस) दिनभित्र लम्कीचुहा नगरपालिका नगर कार्यपालिकाको कार्यालय भल्का, कैलालीमा सिलबन्दी सहित प्रस्ताव पेश गर्न हुन अनुरोध छ ।

तपशील:-

S.N.	Technical Specification	Required Quantity
1.	4 WD Tractor with 4-cylinder, 4 stroke Diesel Engine, water cooled or oil cooled with engine output at least 55 HP at governed rpm suitable for both city and remote areas. Hydraulic Trolley suitable for lifting loads using hydraulic system with Boom cylinder of capacity 20 to 25 ton.	2 (Two)

(Signature)

बिक्रम चौधरी

नि.प्रमुख प्रशासकीय अधिकृत

बिक्रम चौधरी
नि. प्रमुख प्रशासकीय अधिकृत

Technical Specification of 4WD Tractor

Quantity: 2 Units

S.N.	Description	Purchaser Requirements	Offered Specification
1.	Model		
	Model / type	2024 or 2025 preferred	
	Displacement volume capacity	3000 cc. to 3750 cc.	
	Steering	Right hand driven Power Steering	
	Emission Standard	Comply with Vehicle Mass Emission Standard of Nepal.	
2.	Engine	4 cylinder, 4 stroke Diesel engine, water cooled or Oil cooled with engine output at least 55 HP at governed rpm. Torque not less than 210 Nm. Gross weight of the Tractor not less than 2900 kg.	
3.	Air cleaner	Oil bath type or dry type	
4.	Transmission	Heavy duty with Sliding mesh / Mechanical / Partial Synchronesh	
	Gear Clutch Wheel Drive	15 F + 15 R gear with high and low speed selector optional. Dual Diaphragm Type 4WD	
5.	Brake	Heavy duty Mechanical, self energizing and Oil immersed Multi Disc brake	
6.	Steering	Heavy duty Power steering	
7.	PTO capacity	Minimum 50 HP	
8.	Hydraulic Lifting capacity	Minimum 2000 kg.	
9	Instruments	Engine r.p.m. with Direction indicators as well as hour meter, fuel guage, A-meter, water temperature gauge and oil pressure gauge.	
10.	Features	Highly sensitive hydraulic system, Standard rear tyres Hydraulic: Draft Position and response control	

		linkage, stabilizer bar Telescopic stabilizers bar Tap off connection for Tipping trailer	
11.	Tools	A set of tools as required for general maintenance shall be supplied	
12.	Manuals	One set of workshop manual / service manual / parts catalogue	
	Warranty and Insurance	(a) Minimum warranty of 5000 hrs or 5 yrs (b) One Year insurance to be paid by the supplier.	
13.	Delivery	The Tractor should be delivered to Office of the Municipal Executive, Lamkichuha Municipality, Kailali.	

Technical Specification of Hydraulic Trolley

Quantity: 2 Units

S.N.	Criteria	Purchaser Requirements	Offered Specification
1.	Trailer Cargo body	Length = min.10 ft., Breadth = min.6 ft. and Height= min.3 ft. (2 ft. ht. side board sheet + 1 ft. top grill)	
2.	Frame structure	Heavy Channel section of 200 mm x 75 mm x 10mm.for Main frame Lower channel section and 130 mm x 60 mm. x 10 mm section for upper frame.	
3.	Body materials	Cross members of channel section 80 mm x 40 mm x 5 mm over upper frame Side board M.S. sheet 10 SWG, Floor M.S sheet 8 SWG Side supporting vertical angle section 50 mm x 50 mm x5mm	
4.	Type	Suitable for lifting loads using hydraulic system with Boom cylinder of capacity of minimum 20 ton with built hydraulic pipes, fittings and accessories	
5.	Axle	Water proof 100 mm x 100 mm in section	
6.	Tyre size and numbers	1000.20 16ply Lug tyres	
7.	Warranty	Minimum 1 year.	
8.	Colors and Writings	As per the municipal office	
9.	Delivery	The Trolley shall be delivered to Office of the Municipal Executive, Lamkichuha Municipality, Kailali.	

Note:

The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications.
Non-compliance of these major items will result in non-responsiveness of the bid offer.

Prepared By
Ramesh Joshi

Approved By
Sushama Mahata KC

Bidder's Signature.....

Date:.....

Model / Type	M24 or M25 protected
Displacement/cumulative capacity	3000 cc. to 3750 cc.
Performance Standard	Comply with Vehicle Mass Emission Standard of Nepal
1. Engine	4 cylinder, 4 stroke Diesel engine, water cooled or Oil cooled with engine output at least 35 HP at governed rpm. Torque not less than 110 Nm. Gross weight of the tractor not less than 2000 kg.
2. Air cleaner	Oil bath type or dry type
3. Transmission	Heavy duty with sliding mesh / Mechanical / Partial Synchronizer
4. Gear	15 F + 15 R gear with high and low speed selector optional
5. Clutch	Dual Diaphragm
6. Wheel	Type 4WD
7. Drive	
8. Brake	Heavy duty Mechanical, self energizing and Oil immersed Multi Disc brake
9. Steering	Heavy duty Power steering
10. PTO capacity	Minimum 50 HP
11. Hydraulic Lifting capacity	Minimum 2000 kg.
12. Instruments	Engine r.p.m. with Direction indicators as well as hour meter, fuel gauge, A-meter, water temperature gauge and oil pressure gauge
13. Features	Highly sensitive hydraulic system, Standard rear tyres Hydraulic Draft Position and response control